

**SAFETY DATA SHEET****PX-20433-A GRAY ELECTRICAL PLASTISOL**Version Number 1.6  
Revision Date 03/03/2015Page 1 of 15  
Print Date 03/04/2015

# SAFETY DATA SHEET

**PX-20433-A GRAY ELECTRICAL PLASTISOL****Section 1. Identification**

**GHS product identifier** : PX-20433-A GRAY ELECTRICAL PLASTISOL  
**Chemical name** : Mixture  
**CAS number** : Mixture  
**Other means of identification** : FO00006531  
**Product type** : liquid

**Relevant identified uses of the substance or mixture and uses advised against**

**Product use** : Industrial applications. Plastics.

**Supplier's details** : **POLYONE CORPORATION**  
33587 Walker Road, Avon Lake, OH 44012  
  
1 (440) 930-1000 or 1 (866) POLYONE

**Emergency telephone number (with hours of operation)** : CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

**Section 2. Hazards identification**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions. Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

**OSHA/HCS status** : While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product.

**Classification of the substance or mixture** : Not classified.

**Supplemental label elements** : None known.

## SAFETY DATA SHEET

### PX-20433-A GRAY ELECTRICAL PLASTISOL

Version Number 1.6  
Revision Date 03/03/2015

Page 2 of 15  
Print Date 03/04/2015

**Hazards not otherwise classified** : None known.

### Section 3. Composition/information on ingredients

**Substance/mixture** : Mixture  
**Chemical name** : Mixture  
**Other means of identification** : FO00006531

#### CAS number/other identifiers

| Ingredient name                                   | %       | CAS number |
|---|---------|------------|
| Antimony trioxide                                 | 0.1 - 1 | 1309-64-4  |
| Titanium dioxide                                  | 0.1 - 1 | 13463-67-7 |
| Bis (1,2,2,6,6-pentamethyl-4-piperidiny) sebacate | 0.1 - 1 | 41556-26-7 |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

**There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.**

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

#### Description of necessary first aid measures

**Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

**Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

**Skin contact** : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

**Ingestion** : Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities

## SAFETY DATA SHEET

**PX-20433-A GRAY ELECTRICAL PLASTISOL**

Version Number 1.6  
Revision Date 03/03/2015

Page 3 of 15  
Print Date 03/04/2015

of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

**Most important symptoms/effects, acute and delayed**
**Potential acute health effects**

- Eye contact** : No known significant effects or critical hazards.
- Inhalation** : No known significant effects or critical hazards.
- Skin contact** : No known significant effects or critical hazards.
- Ingestion** : No known significant effects or critical hazards.

**Over-exposure signs/symptoms**

- Eye contact** : No specific data.
- Inhalation** : No specific data.
- Skin contact** : No specific data.
- Ingestion** : No specific data.

**Indication of immediate medical attention and special treatment needed, if necessary**

- Notes to physician** : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
- Specific treatments** : No specific treatment.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

|  |
|--|
| <b>Section 5. Fire-fighting measures</b> |
|--|

**Extinguishing media**

- Suitable extinguishing media** : In case of fire, use water spray (fog), foam, dry chemical or CO<sub>2</sub>.
- Unsuitable extinguishing media** : None known.

**Specific hazards arising from the chemical** : In a fire or if heated, a pressure increase will occur and the container may burst.

- Hazardous thermal decomposition products** : May emit Hydrogen Chloride (HCl).  
Decomposition products may include the following materials:  
carbon dioxide  
carbon monoxide  
halogenated compounds

## SAFETY DATA SHEET

### PX-20433-A GRAY ELECTRICAL PLASTISOL

Version Number 1.6  
Revision Date 03/03/2015

Page 4 of 15  
Print Date 03/04/2015

metal oxide/oxides

- Special protective actions for fire-fighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
- For emergency responders** : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
- Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### Methods and materials for containment and cleaning up

- Small spill** : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
- Large spill** : Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## Section 7. Handling and storage

## SAFETY DATA SHEET

**PX-20433-A GRAY ELECTRICAL PLASTISOL**

Version Number 1.6  
Revision Date 03/03/2015

Page 5 of 15  
Print Date 03/04/2015

**Precautions for safe handling**

- Protective measures** : Put on appropriate personal protective equipment (see Section 8).
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
- Conditions for safe storage, including any incompatibilities** : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

|   |
|---|
| <b>Section 8. Exposure controls/personal protection</b> |
|---|

**Control parameters****Occupational exposure limits**

| Ingredient name   | Exposure limits  |
|-------------------|--|
| Antimony trioxide | <b>OSHA PEL (1993-06-30) Calculated as Sb</b><br>PEL: Permissible Exposure Level 0.5 mg/m <sup>3</sup><br><b>NIOSH REL (1994-06-01) Calculated as Sb</b><br>Time Weighted Average (TWA) 0.5 mg/m <sup>3</sup><br><b>OSHA PEL 1989 (1989-03-01) Calculated as Sb</b><br>PEL: Permissible Exposure Level 0.5 mg/m <sup>3</sup><br><b>ACGIH TLV (1994-09-01)</b>          |
| Titanium dioxide  | <b>OSHA PEL 1989 (1989-03-01)</b><br>PEL: Permissible Exposure Level 10 mg/m <sup>3</sup> Form: Total dust<br><b>OSHA PEL (1993-06-30)</b><br>PEL: Permissible Exposure Level 15 mg/m <sup>3</sup> Form: Total dust<br><b>ACGIH TLV (1996-05-18)</b><br>TLV-TWA: Threshold Limit Value - Time weighted average PEL:<br>Permissible Exposure Level 10 mg/m <sup>3</sup> |

- Appropriate engineering controls** : Good general ventilation should be sufficient to control worker

## SAFETY DATA SHEET

**PX-20433-A GRAY ELECTRICAL PLASTISOL**

Version Number 1.6  
Revision Date 03/03/2015

Page 6 of 15  
Print Date 03/04/2015

**Environmental exposure controls** : exposure to airborne contaminants.  
: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

**Individual protection measures**

**Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

**Skin protection**

**Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

**Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory protection** : Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

|  |
|--|
| <b>Section 9. Physical and chemical properties</b> |
|--|

**Appearance**

**Physical state** : liquid [liquid]  
**Color** : GREY

## SAFETY DATA SHEET

**PX-20433-A GRAY ELECTRICAL PLASTISOL**

Version Number 1.6  
Revision Date 03/03/2015

Page 7 of 15  
Print Date 03/04/2015

|   |   |  |
|---|---|--|
| <b>Odor</b>   | : | Not available.   |
| <b>Odor threshold</b>                               | : | Not available.   |
| <b>pH</b>   | : | Not available.   |
| <b>Melting point</b>                                | : | Not available.   |
| <b>Boiling point</b>                                | : | Not available.   |
| <b>Flash point</b>                                  | : | Not available.   |
| <b>Burning time</b>                                 | : | Not available.   |
| <b>Burning rate</b>                                 | : | Not available.   |
| <b>Evaporation rate</b>                             | : | Not available.   |
| <b>Flammability (solid, gas)</b>                    | : | Not available.   |
| <b>Lower and upper explosive (flammable) limits</b> | : | <b>Lower:</b> Not available.<br><b>Upper:</b> Not available.       |
| <b>Vapor pressure</b>                               | : | Not available.   |
| <b>Vapor density</b>                                | : | Not available.   |
| <b>Relative density</b>                             | : | Not available.   |
| <b>Solubility</b>                                   | : | Not available.   |
| <b>Solubility in water</b>                          | : | Not available.   |
| <b>Partition coefficient: n-octanol/water</b>       | : | Not available.   |
| <b>Auto-ignition temperature</b>                    | : | Not available.   |
| <b>Decomposition temperature SADT</b>               | : | Not available.   |
| <b>Viscosity</b>                                    | : | <b>Dynamic:</b> Not available.<br><b>Kinematic:</b> Not available. |

### Section 10. Stability and reactivity

|   |   |  |
|---|---|--|
| <b>Reactivity</b>                         | : | No specific test data related to reactivity available for this product or its ingredients.           |
| <b>Chemical stability</b>                 | : | Stable under recommended storage and handling conditions (see Section 7).                            |
| <b>Possibility of hazardous reactions</b> | : | Under normal conditions of storage and use, hazardous reactions will not occur.                      |
| <b>Conditions to avoid</b>                | : | Keep away from extreme heat and oxidizing agents.  |
| <b>Incompatible materials</b>             | : | Avoid contact with acetal homopolymers and acetyl homopolymers during processing.                    |
| <b>Hazardous decomposition products</b>   | : | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

### Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

## SAFETY DATA SHEET

**PX-20433-A GRAY ELECTRICAL PLASTISOL**

Version Number 1.6  
Revision Date 03/03/2015

Page 8 of 15  
Print Date 03/04/2015

**Information on toxicological effects**
**Acute toxicity**

| Product/ingredient name                           | Result          | Species    | Dose          | Exposure |
|---|-----------------|------------|---------------|----------|
| Antimony trioxide                                 | LD50 Oral       | Rat        | 34,000 mg/kg  | -        |
| Titanium dioxide                                  | LC50 Inhalation | Rat - Male | 6.82 Mg/l     | 4 h      |
|   | LD50 Dermal     | Rabbit     | > 5,000 mg/kg | -        |
| Bis (1,2,2,6,6-pentamethyl-4-piperidiny) sebacate |                 |            |               |          |

**Conclusion/Summary** : Mixture.Not fully tested.

**Irritation/Corrosion**

| Product/ingredient name | Result               | Species | Score | Exposure | Observation |
|-------------------------|----------------------|---------|-------|----------|-------------|
| Antimony trioxide       | Eyes - Mild irritant | Rabbit  |       |          | -           |

**Conclusion/Summary**

**Skin** : Mixture.Not fully tested.

**Eyes** : Mixture.Not fully tested.

**Respiratory** : Mixture.Not fully tested.

**Sensitization**
**Conclusion/Summary**

**Skin** : Mixture.Not fully tested.

**Respiratory** : Mixture.Not fully tested.

**Mutagenicity**

**Conclusion/Summary** : Mixture.Not fully tested.

**Carcinogenicity**

**Conclusion/Summary** : Mixture.Not fully tested.

**Classification**

| Product/ingredient name | OSHA | IARC | NTP |
|-------------------------|------|------|-----|
| Antimony trioxide       |      | 2B   |     |
| Titanium dioxide        |      | 2B   |     |

**Reproductive toxicity**

**Conclusion/Summary** : Mixture.Not fully tested.



**SAFETY DATA SHEET****PX-20433-A GRAY ELECTRICAL PLASTISOL**

Version Number 1.6  
Revision Date 03/03/2015

Page 9 of 15  
Print Date 03/04/2015

---

**Teratogenicity**

**Conclusion/Summary** : Mixture. Not fully tested.

**Specific target organ toxicity (single exposure)**

Not available.

**Specific target organ toxicity (repeated exposure)**

Not available.

**Aspiration hazard**

Not available.

**Information on the likely routes of exposure** : Not available.

**Potential acute health effects**

**Eye contact** : No known significant effects or critical hazards.  
**Inhalation** : No known significant effects or critical hazards.  
**Skin contact** : No known significant effects or critical hazards.  
**Ingestion** : No known significant effects or critical hazards.

**Symptoms related to the physical, chemical and toxicological characteristics**

**Eye contact** : No specific data.  
**Inhalation** : No specific data.  
**Skin contact** : No specific data.  
**Ingestion** : No specific data.

**Delayed and immediate effects and also chronic effects from short and long term exposure****Short term exposure**

**Potential immediate effects** : Not available.  
**Potential delayed effects** : Not available.

**Long term exposure**

**Potential immediate effects** : Not available.  
**Potential delayed effects** : Not available.

**Potential chronic health effects**

## SAFETY DATA SHEET

**PX-20433-A GRAY ELECTRICAL PLASTISOL**

Version Number 1.6  
Revision Date 03/03/2015

Page 10 of 15  
Print Date 03/04/2015

|                              |   |   |
|------------------------------|---|---|
| <b>Conclusion/Summary</b>    | : | Mixture. Not fully tested.                        |
| <b>General</b>               | : | No known significant effects or critical hazards. |
| <b>Carcinogenicity</b>       | : | No known significant effects or critical hazards. |
| <b>Mutagenicity</b>          | : | No known significant effects or critical hazards. |
| <b>Teratogenicity</b>        | : | No known significant effects or critical hazards. |
| <b>Developmental effects</b> | : | No known significant effects or critical hazards. |
| <b>Fertility effects</b>     | : | No known significant effects or critical hazards. |

**Numerical measures of toxicity****Acute toxicity estimates**

Not available.

|   |
|---|
| <b>Section 12. Ecological information</b> |
|---|

**Toxicity**

| Product/ingredient name | Result                                 | Species                           | Exposure |
|-------------------------|--|-----------------------------------|----------|
| Antimony trioxide       |  |                                   |          |
|                         | Acute LC50 80,000 µg/l Fresh water     | Fish - Fathead minnow             | 96 h     |
|                         | Acute LC50 530 mg/l Fresh water        | Fish - Bluegill                   | 96 h     |
|                         | Acute LC50 1,000,000 µg/l Marine water | Fish - Mummichog                  | 96 h     |
|                         | Acute EC50 423,450 µg/l Fresh water    | Aquatic invertebrates. Water flea | 48 h     |
|                         | Acute EC50 730 µg/l Fresh water        | Aquatic plants - Green algae      | 72 h     |
|                         | Acute EC50 4.15 mg/l Marine water      | Aquatic plants - Diatom           | 72 h     |
|                         | Acute EC50 4.15 mg/l Marine water      | Aquatic plants - Diatom           | 96 h     |
|                         | Acute EC50 760 µg/l Fresh water        | Aquatic plants - Green algae      | 96 h     |
|                         | Acute EC50 740 µg/l Fresh water        | Aquatic plants - Green algae      | 96 h     |
| Titanium dioxide        |  |                                   |          |
|                         | Acute LC50 1,000,000 µg/l Marine water | Fish - Mummichog                  | 96 h     |
|                         | Acute LC50 1,000 mg/l Fresh            | Fish - Fathead minnow             | 96 h     |

## SAFETY DATA SHEET

**PX-20433-A GRAY ELECTRICAL PLASTISOL**

Version Number 1.6  
Revision Date 03/03/2015

Page 11 of 15  
Print Date 03/04/2015

|  |                                  |                                      |      |
|--|----------------------------------|--------------------------------------|------|
|  | water                            |                                      |      |
|  | Acute LC50 5.5 mg/l Fresh water  | Aquatic invertebrates.<br>Water flea | 48 h |
|  | Acute LC50 10 mg/l Fresh water   | Aquatic invertebrates.<br>Water flea | 48 h |
|  | Acute LC50 13 mg/l Fresh water   | Aquatic invertebrates.<br>Water flea | 48 h |
|  | Acute LC50 6.5 mg/l Fresh water  | Aquatic invertebrates.<br>Water flea | 48 h |
|  | Acute EC50 19.3 mg/l Fresh water | Aquatic invertebrates.<br>Water flea | 48 h |
|  | Acute EC50 35.9 mg/l Fresh water | Aquatic plants - Green<br>algae      | 72 h |
|  | Acute EC50 5.83 mg/l Fresh water | Aquatic plants - Green<br>algae      | 72 h |

**Conclusion/Summary** : Not available.

**Persistence and degradability**

**Conclusion/Summary** : Not available.

**Bioaccumulative potential**

| Product/ingredient name | LogPow | BCF    | Potential |
|-------------------------|--------|--------|-----------|
| Titanium dioxide        |        | 352.00 | low       |

**Mobility in soil**

**Soil/water partition coefficient (KOC)** : Not available.

**Other adverse effects** : No known significant effects or critical hazards.

**Section 13. Disposal considerations**

**Disposal methods** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered

## SAFETY DATA SHEET

**PX-20433-A GRAY ELECTRICAL PLASTISOL**

Version Number 1.6  
Revision Date 03/03/2015

Page 12 of 15  
Print Date 03/04/2015

when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

**United States - RCRA Acute hazardous waste "P" List:** Not listed

**United States - RCRA Toxic hazardous waste "U" List:** Not listed

**Section 14. Transport information**

U.S. DOT Classification : Not regulated for transportation.  
ICAO/IATA : Consult mode specific transport rules  
IMO/IMDG (maritime) : Consult mode specific transport rules

**Section 15. Regulatory information**

**U.S. Federal regulations** :

- United States - TSCA 12(b) - Chemical export notification:** The following components are listed: **Phthalic acid, dialkyl(C7-11) ester**
- United States - TSCA 4(a) - Final Test Rules:** Listed **Phthalic acid, dialkyl(C7-11) ester**  
**1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich**  
**Diisononyl phthalate**
- United States - TSCA 4(a) - ITC Priority list:** Not listed
- United States - TSCA 4(a) - Proposed test rules:** Not listed
- United States - TSCA 4(f) - Priority risk review:** Not listed
- United States - TSCA 5(a)2 - Final significant new use rules:** Not listed
- United States - TSCA 5(a)2 - Proposed significant new use rules:** Not listed
- United States - TSCA 5(e) - Substances consent order:** Not listed
- United States - TSCA 6 - Final risk management:** Not listed
- United States - TSCA 6 - Proposed risk management:** Listed  
**Lead**
- United States - TSCA 8(a) - Chemical risk rules:** Not listed
- United States - TSCA 8(a) - Dioxin/Furane precursor:** Not listed
- United States - TSCA 8(a) - Chemical Data Reporting (CDR):** Not

**SAFETY DATA SHEET**

**PX-20433-A GRAY ELECTRICAL PLASTISOL**

Version Number 1.6  
 Revision Date 03/03/2015

Page 13 of 15  
 Print Date 03/04/2015

determined  
**United States - TSCA 8(a) - Preliminary assessment report (PAIR):** Not listed  
**United States - TSCA 8(c) - Significant adverse reaction (SAR):** Not listed  
**United States - TSCA 8(d) - Health and safety studies:** Not listed  
**United States - EPA Clean water act (CWA) section 307 - Priority pollutants:** Listed Antimony trioxide  
 Miscellaneous Zinc Compounds  
 Lead  
 Arsenic  
 Vinyl chloride monomer

**United States - EPA Clean water act (CWA) section 311 - Hazardous substances:** Listed  
**United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances:** Not listed  
**United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances:** Not listed  
**United States - Department of commerce - Precursor chemical:** Not listed

**Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)** : Not listed  
**Clean Air Act Section 602 Class I Substances** : Not listed  
**Clean Air Act Section 602 Class II Substances** : Not listed  
**DEA List I Chemicals (Precursor Chemicals)** : Not listed  
**DEA List II Chemicals (Essential Chemicals)** : Not listed

**US. EPA CERCLA Hazardous Substances (40 CFR 302)**

not applicable

**SARA 311/312**

**Classification** : Not applicable.

**Composition/information on ingredients**

| Name              | %       | Classification |
|-------------------|---------|----------------|
| Antimony trioxide | 0.1 - 1 | AH, CH         |

## SAFETY DATA SHEET

**PX-20433-A GRAY ELECTRICAL PLASTISOL**

Version Number 1.6  
Revision Date 03/03/2015

Page 14 of 15  
Print Date 03/04/2015

|   |         |    |
|---|---------|----|
| Titanium dioxide                                  | 0.1 - 1 | CH |
| Bis (1,2,2,6,6-pentamethyl-4-piperidiny) sebacate | 0.1 - 1 | AH |

**SARA 313**

|  | Product name      | CAS number | %       |
|--|-------------------|------------|---------|
| <b>Form R - Reporting requirements</b> | Antimony trioxide | 1309-64-4  | 0.1 - 1 |
| <b>Supplier notification</b>           | Antimony trioxide | 1309-64-4  | 0.1 - 1 |

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

**State regulations**

- Massachusetts** : None of the components are listed.
- New York** : The following components are listed:  
Antimony trioxide
- New Jersey** : The following components are listed:  
Ethene, chloro-, homopolymer  
Antimony trioxide  
Titanium dioxide
- Pennsylvania** : The following components are listed:  
Aluminum hydroxide  
  
Antimony trioxide  
  
Titanium dioxide

**California Prop. 65**

WARNING: This product contains a chemical known to the State of California to cause cancer.

- United States inventory (TSCA 8b)** : All components are listed or exempted.
- Canada inventory** : At least one component is not listed in DSL but all such components are listed in NDSL.

**International regulations**

- International lists** :
- Australia inventory (AICS):** Not determined.
  - Taiwan inventory (CSNN):** Not determined.
  - Malaysia Inventory (EHS Register):** Not determined.
  - EINECS:** Not determined.

## SAFETY DATA SHEET

**PX-20433-A GRAY ELECTRICAL PLASTISOL**

Version Number 1.6  
Revision Date 03/03/2015

Page 15 of 15  
Print Date 03/04/2015

**Japan inventory:** Not determined.  
**China inventory (IECSC):** Not determined.  
**Korea inventory:** Not determined.  
**New Zealand Inventory of Chemicals (NZIoC):** Not determined.  
**Philippines inventory (PICCS):** Not determined.

**Chemical Weapons Convention  
List Schedule I Chemicals** : Not listed  
**Chemical Weapons Convention  
List Schedule II Chemicals** : Not listed  
**Chemical Weapons Convention  
List Schedule III Chemicals** : Not listed

## Section 16. Other information

### History

**Date of printing** : 03/04/2015  
**Date of issue/Date of revision** : 03/03/2015  
**Date of previous issue** : 03/11/2014  
**Version** : 1.6

**Key to abbreviations** : ATE = Acute Toxicity Estimate  
BCF = Bioconcentration Factor  
GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
IATA = International Air Transport Association  
IBC = Intermediate Bulk Container  
IMDG = International Maritime Dangerous Goods  
LogPow = logarithm of the octanol/water partition coefficient  
MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)  
UN = United Nations

**References** : Not available.

### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.